

## PR-2

### Multi-Task Welding System

#### Multi-Task Welder Features:

- ✓ Spot hammer dent pulling
- ✓ Stitch welding
- ✓ Carbon shrinking
- ✓ Contact shrinking
- ✓ Nut and bolt welding
- ✓ Washer welding
- ✓ Nail welding
- ✓ Moulding clip rivet welding
- ✓ Pro Pull dent pulling (optional)
- ✓ Lever bar dent pulling (optional)
- ✓ Built-in MIG welder available (optional)
- ✓ Pro Pull Single Pull dent pulling (optional)
- ✓ Pull Bar dent pulling optional



Pro Pull shown with optional Single Pull System

Washer welding for dent pulling



Threaded bolt & nut welding



Stud welding (pins) for dent pulling

Moulding clip rivet welding



Stitch welding




Spot hammer welding




## PR-2 Dent Pulling Accessories



Quickest dent pulling system ever! Just weld on the hammer directly on the dent and hammer away. Simply twist to release. (magnetic ground plate optional)



Ideal for rust repair and patching, stitch welding works by delivering an intermittent or pulsating current while rolling the tip in the sheet metal edge.



Lever bar (optional)



Spot hammer



Slide hammer with hook (optional)



Weld-on shaft with collar (optional)




Hammer weight (optional)



Pro Pull (optional)




Pro Pull Dent Pulling. Position the weld tip in the bottom of the dent, weld, then squeeze the handle to initialize the pulling action.




Lever bar welding. Simply weld on the shaft to the dent and pull the lever to straighten.

## Single-Sided Gun



## Pro Pull® Dent Removal System



### PR-2 Multi-task welder:

Input voltage: 208-230V or 400V 1 phase  
 Input cable: 30' (9.1m)  
 Output amperage: 2000A max. (at electrodes)  
 Welding cable: 7' (2.1m)  
 Cooling System: Air (1 fan)  
 Weight: 92Lb. (43kg)

Adjustable current and weld time  
 9 different weld functions

### Pro Spot International, Inc. U.S.A.

Toll Free: 877-PRO SPOT  
 Phone: 760-407-1414  
 Fax: 760-407-1420  
 E-mail: info@prospot.com  
 WEB: www.prospot.com



# PR-2 Dent Pulling Accessories

## Pro Pull Single Pull System

SA-0028



PR0-66 Pro Pull shown with optional SA-0028 Single Pull System



SA-0028 Single Pull System



SA-0026 Hook Adapter Assembly

## Pull Bar


Dent Pulling System PB-10



Designed for both aluminum & steel dent pulling. Our new Pull Bar features a 4 & 6 Jaw clamp, and adjustable foot swivel pads for mounting both vertically & horizontally. The dent pull bar makes dent pulling extremely easy, quick & accurate. The Pull Bar can also adapt to the Pro Pull system for isolated dent pulling.



Pull Washer Dent Pulling



Wiggle Wire Dent Pulling

